

Handheld Wired 1D Laser Bar Code Reader Barcode Scanner

(Model No.: OCBS-L015)

Feature:

200MM/S Scan Speed

10-60cm long depth of field

Compatible with multiple language layouts

1.5m free fall on concrete surface

Can switch to Manual , Continuous scanning, Auto Sensing

Specification:

| Item | Parameter |
|---------------------|--|
| Light Source | Visible laser 650nm |
| Safety | Accord with China National Laser Safety |
| Decoding Capability | UPC-A, UPC-E, EAN-13, EAN-8, ISBN/ISSN, Code39, Code Bar, Interleaved / ITF 25, Industrial 25, Code 128, Code 93, Code 11, MSI/PIESSEY, UCC/EAN128 |
| Interface | USB ,RS232 ,PS/2 |
| Trigger Mode | Manual , Continuous scanning, Auto Sensing |
| Transmission Speed | RS232 baudrate: 1200-19200 |
| Scanning Width | Min 0.1mm(4mils) |
| Scanning Depth | 2—9cm(0.1mm Width), 3—50cm(0.3mm Width) |
| Scanning Speed | 200scans / sec |
| Scanning Distance | 10-600mm Roll 60°, Pitch45° |
| Operating Temp. | -20°C—50°C |
| Storage Temp. | -20°C—60°C |
| Operating Humidity | 0—95% |
| Storage Humidity | 5%—95% |
| Power Supply | DC 5V±5% |
| Operating Current | 50ma(Operating), 40ma(Stand By), 100ma(Max) |
| Quiescent Current | 20mA |
| Shock Resistance | 1.5m free fall on concrete surface |
| Language | multiple languages |
| Material | ABS+PVC+PC |
| Casing Size | 167*97*65mm |
| ESD Protection | 15KV air discharge |



OCBS-L015





OCBS-L015





OCBS-L015





OCBS-L015





OCBS-L015





OCBS-L015

