

Handheld Android POS Terminal with Thermal Label and Receipt Printer

(M/N:POS-T2Pro)

Features:

- octa-core,SC9863, Cortex-A55 ,1.6GHz processor
- Built-in high speed 58mm thermal receipt and label printer
- Standard 3GB RAM+16G ROM
- Built-in large volume speaker
- Built-in NFC Module
- 2*SIM card slot
- Support USB type-C fast charging
- Removable 6400mAh large capacity pure cobalt battery
- 1D&2D Bar code reader and fingerprint for option
- Android 12 supported

Specification

Model	POS-T2Pro
Name	5.5 inch capacitive touch screen, support the electronic signature
Battery	3.8 V /6400mAh
Power Adapter	Input□100-240V, 50/60Hz,1.5A,Output□5V DC /2A
Charger interface	USB type C
Display	
Main screen	5.5 inch HD touch screen display
Resolution	720*1280 IPS
Performance	
CPU	octa-core,SC9863, Cortex-A55 ,1.6GHz processor
RAM	3GB
Flash	16GB Flash
Communication	2G/3G/4G
Operating System	Android 12
Button	Power button, Scan Button,Volume button
Bluetooth	Bluetooth 4.0
WIFI	WIFI 802.11 b.g.n.ac
Printer	58mm Thermal Receipt and label Printer
Paper Roll	Width: 58mm; Diameter: ≤40mm
Scanner	5 Mega-pixel Camera decoding, 2D Scanner (Option)
NFC	Support ISO/IEC 14443A&B, Mifare, felica card
SIM slot	Sim*2 (default) or Sim*1+Sam*1 for option
Speaker	Digital Audio speaker
Fingerprint	FBI/STQC Fingerprint (Optional)
GPS or AGPS	Support GPS+AGPS
MDM	Support
Peripheral Accessories	
Accessories	USB Type C*1 Charging adapter*1 user manual*1
Environment	
Operating temperature	0 to 40 degrees centigrade
Storage temperature	-10 to 60 degrees centigrade
Working humidity	10%~80%
Storage humidity	10%~90%

SMART Handheld POS Terminal

MULTI-PLATFORM AUTOMATIC PRINTING
easy to deal with a variety of working environment



Thermal Receipt
Label Printing



Touch HD
Screen



Multi-version
Connection



5 Million
Pixels



3GB+16GB
Standard



Removable 6400mAh
Large Capacity Battery



NFC
Standard



CPU
Deca-core

Multiple versions Connection options

Support full Net-com, Bluetooth, WIFI multiple versions of connection, Excellent experience



Structure specification

SMART PRINTING



Simple construction Easy operation



5.5-inch HD IPS Screen

720*1280 resolution, stable every pixel, allowing users to see more clearly

